

10/523,894

(FILE 'HOME' ENTERED AT 22:12:25 ON 17 SEP 2006)

FILE 'REGISTRY' ENTERED AT 22:12:34 ON 17 SEP 2006


L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

G1—G2



G1 Ni,Pd,Pr

G2 [@1] , [@2]

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 22:12:54 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1413 TO ITERATE

100.0% PROCESSED 1413 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 26005 TO 30515

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 22:12:58 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 29341 TO ITERATE

100.0% PROCESSED 29341 ITERATIONS

4 ANSWERS

SEARCH TIME: 00.00.01

L3 4 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

166.94

167.15

FILE 'CAPLUS' ENTERED AT 22:13:03 ON 17 SEP 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Sep 2006 VOL 145 ISS 13
FILE LAST UPDATED: 15 Sep 2006 (20060915/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l3

L4 2 L3

=> d 1-2 bib abs

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
AN 2000:757142 CAPLUS
DN 134:71704
TI Palladium Complexes Containing a Hemilabile Pyridylcarbene Ligand
AU Chen, Jack C. C.; Lin, Ivan J. B.
CS Department of Chemistry, Fu-Jen Catholic University, Taipei, 24205, Taiwan
SO Organometallics (2000), 19(24), 5113-5121
CODEN: ORGND7; ISSN: 0276-7333
PB American Chemical Society
DT Journal
LA English
OS CASREACT 134:71704
AB Pd complexes with a hemilabile terdentate carbene ligand, 1,3-bis(2-pyridyl)imidazol-2-ylidene (pyimypy), were synthesized. Mol. structures of [pyimypyH]Cl·H₂O (1), [Pd(pyimypy)₂][PF₆]₂ (4), [Pd(pyimypy)₂Br]·2H₂O (5), [Pd(pyimypy)₂I][I]_{1/2}[PF₆]_{1/2} (6), and [Pd(pyimypy)(PPh₃)₂Br]·MeCN·H₂O (8) were determined by single-crystal x-ray diffraction. In compound 4, the two bidentate pyimypy ligands are in a cis configuration and the Pd center has a highly distorted square-planar geometry. Compds. 5 and 6 have a bidentate and a monodentate pyimypy ligand. Compound 8 has two trans phosphine ligands, and the pyimypy behaves as a monodentate ligand. Compds. 4, 5, and 6 are fluxional in solution at room temperature Halide- and solvent-assisted exchange processes involving coordinated and free pyridines are thought to be responsible for the fluxional behavior. Complex 4 is active toward the catalytic polymerization of CO/norbornylene.
RE.CNT 122 THERE ARE 122 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1997:476218 CAPLUS
DN 127:144274
TI Synthesis and Molecular Structure of the First Metal Complex of an Analog of Guanine with PdII-C(8) Binding
AU Romerosa, Antonio; Suarez-Varela, Jose; Hidalgo, M. Angel; Avila-Roson, J. Carlos; Colacio, Enrique

CS Departamento de Quimica Fisica Bioquimica y Quimica Inorganica Facultad de
Ciencias Experimentales, Universidad de Almeria, Almeria, 04071, Spain
SO Inorganic Chemistry (1997), 36(17), 3784-3786
CODEN: INOCAJ; ISSN: 0020-1669
PB American Chemical Society
DT Journal
LA English
AB The reaction of cis-[PdCl₂(PPh₃)₂] with NaL (HL = 8-methylthiotheophylline) leads to the complex trans-[PdCl(L)(PPh₃)] (1). It crystallizes in the monoclinic space group P2₁/n with a 14.112(3), b 16.208(3), c 18.054(4) Å, β 99.92(3)°, V = 4065.5(15) Å³, Z = 4, R = 0.0498, Rw = 0.0487. The square-planar palladium atom is coordinated by two trans-PPh₃ mols., one chloride anion and one N7-bonded 8-methylthiotheophyllinato ligand. By refluxing 1 with NaOH in a H₂O/CH₂Cl₂ mixture, the mixed ligand complex cis-[Pd(L)(L')(PPh₃)] (2, HL' = theophylline) is formed. 2 Crystallizes in the monoclinic space group Cm with a 18.641(5), b 14.788(5), c 10.507(3) Å, β 123.06(2)°, V = 2247.5(13) Å³, Z = 2, R = 0.0454 and Rw = 0.0498. In 2 the chloride anion of 1 was substituted by a C8 coordinated theophyllinato anion.

RE.CNT 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

(FILE 'HOME' ENTERED AT 22:28:54 ON 17 SEP 2006)

FILE 'REGISTRY' ENTERED AT 22:29:32 ON 17 SEP 2006


L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

G2—G1—A—G1—G2



G1 Ni,Pd,Pr

G2 [@1],[@2]

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 22:29:53 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 29333 TO ITERATE

100.0% PROCESSED 29333 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L2 0 SEA SSS FUL L1

(FILE 'HOME' ENTERED AT 22:31:28 ON 17 SEP 2006)



FILE 'REGISTRY' ENTERED AT 22:34:15 ON 17 SEP 2006

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 Ni,Pd,Pr

G2 [@1],[@2]

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 22:34:49 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 29333 TO ITERATE

100.0% PROCESSED 29333 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L2

0 SEA SSS FUL L1